


Why NAVKAAR® Neon Line Tester must be used

- PLASTIC MATERIAL MOULDED IS UNBREAKABLE RIGID PVC WHICH HAS INSULATION CAPACITY UPTO **3 KV** AND IS APPROVED BY **ERTL**.
- SCREWDRIVER BLADE IS **RADIUS TIP** HARDENED & TEMPERED WHICH DOES NOT DAMAGE HEAD OF SCREW AND FIT PERFECTLY IN SLOT AND ALSO AVOIDS SPARK & SHORT CIRCUIT.
- USED SPRING STEEL HARDENED AND TEMPERED CLIP

Introduced Radius Tip Neon Line Tester



New Introduction

PR CODE: 919



PREMIUM ELECTRICIAN KIT

PR CODE: 920



GOLD ELECTRICIAN KIT


RUBY GOLD



NAVKAAR®

Conforming To IS:844

NUT DRIVER KIT



SILVER KIT



NAVKAAR®

Screw Drivers
Nut Drivers
Neon Line Testers

Conforming To IS:844

2 in 1 Neon Line Tester



Flat Tip Screw Drivers
From 2 mm to 10 mm Dia.

Philips Tip
Screw Drivers
From 2 mm to 8 mm Dia.

Nut Drivers
From 4 mm to 15 mm

T- Type Fix &
Adjustable Nut Driver
7 mm to 14 mm

Slim Tip Insulated Screw Drivers
From 3 mm to 8 mm Dia.

Hammer type Flat Tip
Screw Drivers
From 6 mm to 10 mm Dia.

Two in One
Screw Driver


Stubby Screw Driver

Extra Long T- Alnkey & T-Nut Driver **HARDENED & TEMPERED**

with Moulded Sleeve



T - ALNKEY LONG
300 MM FROM
3 MM TO 17 MM







T - NUT DRIVER
300 MM LONG
FROM 7 MM TO 15 MM

PRICE LIST W.E.F 15.03.2021

SCREWDRIVER WITH NEON LINE TESTER





Economy Range

HSN CODE NO. 8204

	PROD CODE	PROD NAME	BLADE DIA./ Length IN MM	PACKING IN PCS	RATE PER PC
	101	GREENO <i>Packed in Plastic container</i>	3.5 x 125 mm	20	23.00
	102	POPULAR <i>Packed in Plastic container</i>	3.5 x 125 mm	20	24.00
	104	SATHI <i>Packed in Plastic container</i>	3.5 x 130 mm	20	25.00
	106	PRITAM Pocket Indl. <i>Packed in Plastic container</i>	4.5 x 125 mm	20	30.00

SCREWDRIVER WITH NEON LINE TESTER & RADIUS TIP Hardened & Tempered

Premium Range

	914	Neon Line Tester	3.5 x 125 mm	20	34.00
	913	Screwdriver with Line Tester	3.5 x 130 mm	20	38.00
	915	2 IN ONE TESTER <i>One side Philips Tip & other side Flat Tip Packed in Plastic container</i>	3.5 x 125 mm	20	54.00
	916	Pocket Industrial	4.5x 140 mm	10	52.00
	917	JAMBO INDUSTRIAL	4.5 x 200mm	10	70.00
	918	Mini Indl. Line Tester	4.5 x 200 mm	10	60.00

PR CODE: 919



PREMIUM ELECTRICIAN KIT Packing : 6 sets
HSN CODE NO. 8205 M.R.P. : Rs.850.00

PR CODE: 920



GOLD ELECTRICIAN KIT Packing : 6 sets
HSN CODE NO. 8205 M.R.P. : Rs.1000.00

RUBY GOLD

(Set of 8 bits - 5 mm x 113 mm)
with Neon Line Tester



3 pcs Flat,
3 pcs Philips,
1 pc Poker,
1 pc Extension,

Packing : 6 sets
M.R.P. : Rs.195.00


Product No.138

HSN CODE NO. 8205

NUT DRIVER KIT

(Set of 8 bits - 6 mm x 113 mm)

HSN CODE NO. 8204



Product No.127

(N-4, N-5,
N-5.5, N-6, N-6.5,
N-7, N-8, 1 Pc Extension)

Packing : 6 sets
M.R.P. : Rs.390.00

SILVER KIT

(Set of 8 bits - 6 mm x 113 mm)
with Neon Line Tester



3 pcs Flat,
3 pcs Philips,
1 pc Poker,
1 pc Extension,

Packing : 6 sets
M.R.P. : Rs.270.00

Product No.139

HSN CODE NO. 8205

FILE HANDLE

For Round, Square &
Triangular File

HSN CODE NO. 8203



PROD CODE	SIZE OF HANDLE	PACKING IN PCS	RATE PER PC
130	Wire File	20	21.00
131	Standard	20	32.00

FALSHI HANDLE

HSN CODE NO. 8203



PROD CODE	SIZE OF HANDLE	PACKING IN PCS	RATE PER PC
137	Standard	20	32.00

FILE HANDLE


For Flat & Half Round File

HSN CODE NO. 8203



PROD CODE	FOR FILES	PACKING IN PCS	RATE PER PC
132	4" - 6"	20	23.00
133	8" - 10"	20	32.00
134	12" - 14"	20	40.00

TWO IN ONE SCREW DRIVER



HSN CODE NO. 8205

PROD CODE	BLADE DIA IN MM	TIP DIMENSION IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
0013L	2.3	0.4 x 00P	50	24	48.00
0014L	2.3	0.4 x 00P	75	24	50.00
313L	3.5	0.5 x 0P	50	10	50.00
314L	3.5	0.5 x 0P	75	10	52.00
315L	3.5	0.5 x 0P	100	10	55.00
316L	3.5	0.5 x 0P	150	10	59.00
513L	5	0.7 x 1P	60	10	56.00
514L	5	0.7 x 1P	100	10	60.00
515L	5	0.7 x 1P	150	10	65.00
113L	6	0.9 x 2P	100	10	70.00
114L	6	0.9 x 2P	150	10	80.00
115L	6	0.9 x 2P	225	10	85.00
116L	6	0.9 x 2P	300	10	95.00

TWO IN ONE SCREW DRIVER


(With Metal Collet)



HSN CODE NO. 8205

PROD CODE	BLADE DIA IN MM	TIP DIMENSION IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
613H	6	0.9 X 2P	100	10	95.00
614H	6	0.9 X 2P	150	10	105.00
615H	6	0.9 X 2P	225	10	112.00
616H	6	0.9 X 2P	300	10	120.00

TWO IN ONE SCREW DRIVER



HSN CODE NO. 8205

PROD CODE	BLADE DIA IN MM	TIP DIMENSION IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
Small	6	0.9 x 2P	95	10	61.00
Long	6	0.9 x 2P	145	10	65.00
E.Long	6	0.9 x 2P	200	10	70.00

FL - FLAT TIP LIGHT HANDLE



HSN CODE NO. 8205

PROD CODE	BLADE DIA IN MM	TIP DIMENSION IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
202FL	2.3	2 x 0.4	50	40	18.00
203FL	2.3	2 x 0.4	75	40	20.00
302FL	3.2	3.2 x 0.5	50	24	32.00
303FL	3.2	3.2 x 0.5	75	24	33.00
304FL	3.2	3.2 x 0.5	100	24	34.00
306FL	3.2	3.2 x 0.5	150	24	36.00
308FL	3.2	3.2 x 0.5	200	24	38.00
310FL	3.2	3.2 x 0.5	250	24	40.00
403FL	4.00	4 x 0.6	75	10	44.00
404FL	4.00	4 x 0.6	100	10	46.00
406FL	4.00	4 x 0.6	150	10	48.00
408FL	4.00	4 x 0.6	200	10	50.00
410FL	4.00	4 x 0.6	250	10	52.00
503FL	5.00	5 x 0.8	75	10	46.00
504FL	5.00	5 x 0.8	100	10	47.00
506FL	5.00	5 x 0.8	150	10	50.00
508FL	5.00	5 x 0.8	200	10	56.00
510FL	5.00	5 x 0.8	250	10	57.00
604FL	6.00	6 x 0.9	100	10	58.00
606FL	6.00	6 x 0.9	150	10	64.00
608FL	6.00	6 x 0.9	200	10	68.00
610FL	6.00	6 x 0.9	250	10	72.00
612FL	6.00	6 x 0.9	300	10	75.00
804FL	8.00	8 x 1.2	100	10	88.00
806FL	8.00	8 x 1.2	150	10	96.00
808FL	8.00	8 x 1.2	200	10	100.00
810FL	8.00	8 x 1.2	250	10	108.00
812FL	8.00	8 x 1.2	300	10	112.00
1008FL	10.00	10 x 1.5	200	5	145.00
1010FL	10.00	10 x 1.5	250	5	152.00
1012FL	10.00	10 x 1.5	300	5	162.00
1014FL	10.00	10 x 1.5	350	5	170.00
1016FL	10.00	10 x 1.5	400	5	180.00


PL - PHILIPS TIP LIGHT HANDLE



HSN CODE NO. 8205

PROD CODE	BLADE DIA IN MM	TIP DIMENSION IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
202PL	2.3	00	50	40	20.00
203PL	2.3	00	75	40	22.00
302PL	3.2	0	50	24	32.00
303PL	3.2	0	75	24	33.00
304PL	3.2	0	100	24	34.00
306PL	3.2	0	150	24	35.00
308PL	3.2	0	200	24	37.00
310PL	3.2	0	250	24	39.00
403PL	4.00	1	75	10	48.00
404PL	4.00	1	100	10	50.00
406PL	4.00	1	150	10	52.00
408PL	4.00	1	200	10	54.00
410PL	4.00	1	250	10	56.00
503PL	5.00	1	75	10	51.00
504PL	5.00	1	100	10	52.00
506PL	5.00	1	150	10	55.00
508PL	5.00	1	200	10	59.00
510PL	5.00	1	250	10	61.00
604PL	6.00	2	100	10	65.00
606PL	6.00	2	150	10	69.00
608PL	6.00	2	200	10	72.00
610PL	6.00	2	250	10	80.00
612PL	6.00	2	300	10	82.00
806PL	8.00	3	150	10	100.00
808PL	8.00	3	200	10	104.00
810PL	8.00	3	250	10	108.00
812PL	8.00	3	300	10	112.00

POKER SCREW DRIVER



HSN CODE NO. 8205

PROD CODE	BLADE DIA IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
712	6	100	10	58.00
713	6	150	10	65.00

GL - SLIM TIP INSULATED LIGHT HANDLE



HSN CODE NO. 8205

PROD CODE	BLADE DIA IN MM	TIP DIMENSION IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
202IL	2.0	2 x 0.4	50	40	13.00
203IL	2.0	2 x 0.4	75	40	15.00
504IL	5.00	5 x 0.8	100	10	52.00
506IL	5.00	5 x 0.8	150	10	55.00
508IL	5.00	5 x 0.8	200	10	58.00
510IL	5.00	5 x 0.8	250	10	61.00
604IL	6.00	6 X 0.9	100	10	65.00
606IL	6.00	6 X 0.9	150	10	69.00
608IL	6.00	6 X 0.9	200	10	74.00
610IL	6.00	6 X 0.9	250	10	78.00
612IL	6.00	6 X 0.9	300	10	82.00
806IL	8.00	8 X 1.2	150	10	102.00
808IL	8.00	8 X 1.2	200	10	108.00
810IL	8.00	8 X 1.2	250	10	115.00
812IL	8.00	8 X 1.2	300	10	122.00


STUBBY SCREW DRIVER



HSN CODE NO. 8205

PROD CODE	BLADE DIA IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
117FL	6	50	10	51.00
117PL	6	50	10	55.00
118FL	6	25	10	51.00
118PL	6	25	10	55.00
120L	6 (2 in 1) with Metal collet	--	10	90.00

FH - FLAT TIP HEAVY HANDLE



HSN CODE NO. 8205

PROD CODE	BLADE DIA	TIP DIMENSION	BLADE LENGTH	PACKING IN PCS	RATE PER PC
	IN MM	IN MM	IN MM		
404FH	4.00	4 x 0.6	100	10	48.00
406FH	4.00	4 x 0.6	150	10	52.00
408FH	4.00	4 x 0.6	200	10	55.00
410FH	4.00	4 x 0.6	250	10	57.00
504FH	5.00	5 x 0.8	100	10	55.00
506FH	5.00	5 x 0.8	150	10	58.00
508FH	5.00	5 x 0.8	200	10	62.00
510FH	5.00	5 x 0.8	250	10	64.00
604FH	6.00	6 x 0.9	100	10	66.00
606FH	6.00	6 x 0.9	150	10	70.00
608FH	6.00	6 x 0.9	200	10	72.00
610FH	6.00	6 x 0.9	250	10	78.00
612FH	6.00	6 x 0.9	300	10	81.00
806FH	8.00	8 x 1.2	150	5	108.00
808FH	8.00	8 x 1.2	200	5	114.00
810FH	8.00	8 x 1.2	250	5	119.00
812FH	8.00	8 x 1.2	300	5	125.00

HM - HAMMER TYPE FLAT TIP



HSN CODE NO. 8205

PROD CODE	BLADE DIA	TIP DIMENSION	BLADE LENGTH	PACKING IN PCS	RATE PER PC
	IN MM	IN MM	IN MM		
806 HM	8.00	8 X 1.2	150	10	115.00
808 HM	8.00	8 X 1.2	200	10	120.00
810 HM	8.00	8 X 1.2	250	10	125.00
812 HM	8.00	8 X 1.2	300	10	133.00
1008 HM	10.00	10 X 1.5	200	5	177.00
1010 HM	10.00	10 X 1.5	250	5	188.00
1012 HM	10.00	10 X 1.5	300	5	195.00
1014 HM	10.00	10 X 1.5	350	5	205.00
1016 HM	10.00	10 X 1.5	400	5	218.00

GH - SLIM TIP INSULATED HEAVY HANDLE



HSN CODE NO. 8205

PROD CODE	BLADE DIA	TIP DIMENSION	BLADE LENGTH	PACKING IN PCS	RATE PER PC
	IN MM	IN MM	IN MM		
504IH	5.00	5 x 0.8	100	10	56.00
506IH	5.00	5 x 0.8	150	10	58.00
508IH	5.00	5 x 0.8	200	10	64.00
510IH	5.00	5 x 0.8	250	10	68.00
604IH	6.00	6 X 0.9	100	10	77.00
606IH	6.00	6 X 0.9	150	10	80.00
608IH	6.00	6 X 0.9	200	10	84.00
610IH	6.00	6 X 0.9	250	10	87.00
612IH	6.00	6 X 0.9	300	10	90.00
806IH	8.00	8 X 1.2	6"	5	112.00
808IH	8.00	8 X 1.2	8"	5	118.00
810IH	8.00	8 X 1.2	10"	5	125.00
812IH	8.00	8 X 1.2	12"	5	132.00

T-ALEN KEY LONG


HSN CODE NO. 8204



PROD CODE	ACROSS FLAT DIA IN MM	BLADE LENGTH MM	PACKING IN PCS	RATE PER PC
ALN-3	3.00	300	10	100.00
ALN-4	4.00	300	10	110.00
ALN-5	5.00	300	10	130.00
ALN-6	6.00	300	10	145.00
ALN-8	8.00	300	10	236.00
ALN-10	10.00	300	10	338.00
ALN-11	11.00	300	10	
ALN-12	12.00	300	10	484.00
ALN-13	13.00	300	10	
ALN-14	14.00	300	10	580.00
ALN-15	15.00	300	10	
ALN-16	16.00	300	10	
ALN-17	17.00	300	10	
ALN-3/16	3/16"	300	10	140.00

NUT DRIVERS FIX T-Metal Handle with Moulded Sleeve **HARDENED & TAMPERED**

HSN CODE NO. 8203



PROD CODE	ACROSS FLAT DIMENSION IN MM	LENGTH IN MM	PACKING IN PCS	RATE PER PC
FXN-7	7.00	300	10	90.00
FXN-8	8.00	300	10	90.00
FXN-9	9.00	300	10	93.00
FXN-10	10.00	300	10	93.00
FXN-11	11.00	300	10	96.00
FXN-12	12.00	300	10	96.00
FXN-13	13.00	300	10	100.00
FXN-14	14.00	300	10	100.00
FXN-15	15.00	300	10	100.00

TWO IN ONE SCREW DRIVER With HEXAGON BLADE

HSN CODE NO. 8205



PROD CODE	BLADE DIA IN MM	TIP DIMENSION IN MM	BLADE LENGTH IN MM	PACKING IN PCS	RATE PER PC
714 HEX	6.35	0.9 X 2P	150	10	86.00
715 HEX	6.35	0.9 X 2P	200	10	92.00
716 HEX	6.35	0.9 X 2P	250	10	98.00

Terms :

1. GST as applicable will be charged extra
2. Payment should be made by A/c's Payee's Cheque/Demand Draft only
3. We are not responsible for any breakage or loss in transport after the goods leave our premises
4. Interest @ 18% will be charged if payment is not made within due date.
5. Goods once sold will not be taken back.
6. Subject to Mumbai Jurisdiction.
7. The Prices mentioned in the List are Maximum Retail Prices INCLUDING GST & Stockists / Dealers are free to charge prices Lower than the prices mentioned in the Price-list

NUT DRIVERS



HSN CODE NO. 8204

PROD CODE	ACROSS FLAT DIA IN MM	BLADE LENGTH MM	PACKING IN PCS	RATE PER PC
N-4	4.00	150	10	105.00
N-5	5.00	150	10	105.00
N-5.5	5.50	150	10	105.00
N-6	6.00	150	10	118.00
N-6.5	6.50	150	10	118.00
N-7	7.00	150	10	118.00
N-8	8.00	150	10	118.00
N-9	9.00	150	10	118.00
N-10	10.00	150	10	152.00
N-11	11.00	150	10	152.00
N-12	12.00	150	10	153.00
N-13	13.00	150	10	153.00
N-14	14.00	150	10	153.00

MAGNETIC HEXAGON BIT HOLDER



HSN CODE NO. 8204

PROD CODE	ACROSS FLAT DIA IN MM	BLADE LENGTH MM	PACKING IN PCS	RATE PER PC
912	6 MM	150	10	128.00

